

DS 4400

Machine Learning and Data Mining I

Alina Oprea
Associate Professor
Khoury College of Computer Science
Northeastern University

October 29 2020

Outline

- Ensemble learning
- Bagging
 - Bootstrap samples
 - Random Forest algorithm
- Boosting
 - General method
 - AdaBoost algorithm

Ensemble Learning

Consider a set of classifiers h_1, \dots, h_L


Idea: construct a classifier $H(\mathbf{x})$ that combines the individual decisions of h_1, \dots, h_L

- e.g., could have the member classifiers vote, or
- e.g., could use different members for different regions of the instance space

Successful ensembles require **diversity**


- Classifiers should make different mistakes
- Can have different types of base learners

Combining Classifiers: Averaging



- Final hypothesis is a simple vote of the members

Combining Classifiers: Weighted Averaging



- Coefficients of individual members are trained using a validation set

Ensembles Reduce Error

- Suppose there are 25 base classifiers
- Each classifier has error rate, $\varepsilon = 0.35$
- Assume independence among classifiers
- Probability that the ensemble classifier makes a wrong prediction:

$$\sum_{i=13}^{25} \binom{25}{i} \varepsilon^i (1 - \varepsilon)^{25-i} = 0.06$$

Reduce Variance

- **Averaging** reduces variance:

$$Var(\bar{X}) = \frac{Var(X)}{N} \quad \text{(when predictions are **independent**)}$$

Average models to reduce model variance

One problem:

only one training set

where do multiple models come from?

How to Achieve Diversity

- Avoid overfitting
 - Vary the training data
- Features are noisy
 - Vary the set of features


Two main ensemble learning methods

- **Bagging** (e.g., Random Forests)
- **Boosting** (e.g., AdaBoost)

Bagging

- Leo Breiman (1994)
- Take repeated **bootstrap samples** from training set D
- *Bootstrap sampling*: Given set D containing N training examples, create D' by drawing N examples at random **with replacement** from D .
- Bagging:
 - Create k bootstrap samples $D_1 \dots D_k$.
 - Train distinct classifier on each D_i .
 - Classify new instance by majority vote / average.

General Idea



Majority Votes

Example of Bagging

- Sampling with replacement

Data ID

Training Data
↙

Original Data	1	2	3	4	5	6	7	8	9	10
Bagging (Round 1)	7	8	10	8	2	5	10	10	5	9
Bagging (Round 2)	1	4	9	1	2	3	2	7	3	2
Bagging (Round 3)	1	8	5	10	5	5	9	6	3	7

- Sample each training point with probability $1/n$
- **Out-Of-Bag (OOB) observation**: point not in sample

Example of Bagging

- Sampling with replacement

Training Data
↙


Data ID	1	2	3	4	5	6	7	8	9	10
Original Data	1	2	3	4	5	6	7	8	9	10
Bagging (Round 1)	7	8	10	8	2	5	10	10	5	9
Bagging (Round 2)	1	4	9	1	2	3	2	7	3	2
Bagging (Round 3)	1	8	5	10	5	5	9	6	3	7

- Sample each training point with probability $1/n$
- **Out-Of-Bag (OOB) observation**: point not in sample
 - For each point: prob $(1-1/n)^n$
 - About $1/3$ of data
 - OOB error: error on OOB samples
- **OOB average error**
 - Compute across all models in Ensemble
 - Use instead of Cross-Validation error


Bagging

- Can be applied to multiple classification models
- Very successful for decision trees
 - Decision trees have high variance
 - Don't prune the individual trees, but grow trees to full extent
 - Precision accuracy of decision trees improved substantially
- OOB average error used instead of Cross Validation


Example Distribution



Decision Tree Decision Boundary



100 Bagged Trees




shades of blue/red indicate strength of vote for particular classification

Random Forests

- Ensemble method specifically designed for decision tree classifiers
- Introduce two sources of randomness: “Bagging” and “Random input vectors”
 - **Bagging method**: each tree is grown using a bootstrap sample of training data
 - **Random vector method**: **At each node**, best split is chosen from a random sample of m attributes instead of all attributes

Random Forests

- Construct decision trees on bootstrap replicas
 - Restrict the node decisions to a small subset of features picked randomly for each node
- Do not prune the trees
 - Estimate tree performance on out-of-bootstrap data
- Average the output of all trees (or choose mode decision)



Trees are de-correlated by choice of random subset of features

Random Forest Algorithm

1. For $b = 1$ to B :
 - (a) Draw a **bootstrap sample** \mathbf{Z}^* of size N from the training data.
 - (b) Grow a random-forest tree T_b to the bootstrapped data, by recursively repeating the following steps for each terminal node of the tree, until the minimum node size n_{min} is reached.
 - i. Select **m variables at random** from the p variables.
 - ii. Pick the best variable/split-point among the m .
 - iii. Split the node into two daughter nodes.
2. Output the ensemble of trees $\{T_b\}_1^B$.


To make a prediction at a new point x :

Regression: $\hat{f}_{\text{rf}}^B(x) = \frac{1}{B} \sum_{b=1}^B T_b(x)$.

Classification: Let $\hat{C}_b(x)$ be the class prediction of the b th random-forest tree. Then $\hat{C}_{\text{rf}}^B(x) = \text{majority vote } \{\hat{C}_b(x)\}_1^B$.

**If $m=p$, this is equivalent to Bagging
with Decision Trees as base learner**

Effect of Number of Predictors



- p = total number of predictors; m = predictors chosen in each split
- Random Forests uses $m = \sqrt{p}$

Variable Importance

- Ensemble of trees loses somewhat interpretability of decision trees
- Which variables contribute mostly to prediction?
- Random Forests computes a Variable Importance metric per feature
 - For each tree in the ensemble, consider the split by the particular feature
 - How much information gain / Gini index decreases after the split
 - Average over all trees

Variable Importance Plots




FIGURE 8.9. A variable importance plot for the **Heart** data. Variable importance is computed using the mean decrease in Gini index, and expressed relative to the maximum.

Review

- Ensemble learning are powerful learning methods
 - Better accuracy than standard classifiers
 - Reduce variance
- Bagging uses bootstrapping (with replacement), trains T models, and averages their prediction
 - Random forests vary training data and feature set at each split

Acknowledgements

- Slides made using resources from:
 - Andrew Ng
 - Eric Eaton
 - David Sontag
- Thanks!