



# Practical Network Security: Basic Tools & Techniques

---

Guevara Noubir  
Northeastern University  
[noubir@ccs.neu.edu](mailto:noubir@ccs.neu.edu)

**Counter Hack Reloaded**, Ed Skoudis, 2005, Prentice-Hall.

# Threats to Communication Networks

- Security was an add-on to many network protocols
- Wired and wireless networks still have major vulnerabilities
  - Motivation evolved from pursuit of fame to financial and political
  - BGP hijacking (e.g., 2008 youtube hijacking)
  - Viruses, worms and bots are more stealthy today
    - 2008-2009 conficker infected 2-15 million windows servers
  - Malware is more prevalent than ever, leading to an underground economy (XSS attacks)
    - "MPack is sold as commercial software (costing \$500 to \$1,000 US), and is provided by its developers with technical support and regular updates of the software vulnerabilities it exploits."





# Taxonomy of Discussion Points

---

- Threats: Basic Network Recon and Info Gathering
- Threats: More Intrusive Probes and Scans
- Threats: Network Vulnerabilities
  - Network Architecture Vulnerabilities
  - Denial of Service (DoS)
- Threats: Application/OS Vulnerabilities
  - Remote to Local (R2L) Attacks
  - User to Root (U2R) aka Privilege Escalation
  - Attacker Access Maintenance (root kits, etc)
- Defenses Reviewed
  - Firewalls, Intrusion Detection, etc.



# Recon & Info Gathering

---

- Social Engineering: “the weakest link”,
  - Physical or automated (e.g., phishing)
  - Defenses: user awareness  
[http://www.darkreading.com/document.asp?doc\\_id=111503&WT.svl=column1\\_1](http://www.darkreading.com/document.asp?doc_id=111503&WT.svl=column1_1)
- Physical Security
  - Physical access, Theft, Dumpster diving
  - Defenses: Locks, Policies (access, screen savers, etc.), Encrypted file systems, Paper shredders  
<http://gizmodo.com/5056749/mi6-camera-with-secret-images-bought-on-ebay-for-30>
- Web Searching and Online Recon
  - Check company website, get contact names, look for comments in html, etc.
  - Use Search Engines: Google!, Usenet to discover technologies in use, employee names, etc.
  - Defenses: “Security Through Obscurity”, Policies

# Recon & Info Gathering

- Physical security and policies are still a major concern

Network Security

## GIZMODO

**IPHONE APPS DIRECTORY**

New York, 4:49 PM  
Mon Jan 18  
46 posts in the last 24 hours  
FRUIT | DE | SP | JP | AU  
| BR

**GIZMODO TEAM**

Tip Your Editors:  
tips@gizmodo.com

Editorial Director:  
Brian Lam | Email | Twitter

Editor:  
Jason Chen  
Email | AIM | Twitter

Features Editor:  
Wilson Rothman  
Email | Twitter

Senior Contributing Editors:  
Jesus Diaz  
Email | AIM | Twitter  
Mark Wilson, Reviews

### MI6 Camera With Secret Images Bought on eBay for \$30



A Nikon Coolpix camera belonging to the MI6—the British equivalent of the CIA—was sold on eBay for \$30 with images of al Qaeda suspects, fingerprints, names, rocket launchers, and missiles inside. That's bad enough, but it gets worse: the camera also contained top secret information that may compromise the security of James Bonds in the field.

For some reason, alongside these images there was a top secret document containing details on the encrypted computer system used by MI6 agents while conducting operations abroad. Some of the other images were related to this man, Abdul al-Hadi al-Iraqi, a top al Qaeda terrorist captured by the CIA in 2007.





# Recon & Info Gathering

---

- Whois database via Internic (.com, .net, .org)
  - Publicly-available starting place for determining contacts, name servers, etc. for a given domain [<http://www.internic.net/whois.html>]
  - Network Solutions (edu), nic.mil, nic.gov, Allwhois
  - Query listed registrar for detailed whois entries including contacts, postal address, name servers, emails (and formats of email)
  - Also: Use ARIN to find IP blocks for organizations!  
<http://www.arin.net/index.shtml>
  - Whois tool under UNIX
- Whois info is necessary but should be limited to required minimum



# Recon & Info Gathering

---

- DNS Interrogation

- Tools: nslookup, dig, host, axfr
- Using the name server, do a zone transfer (type=any) to list all public hosts in a domain and more (ls -d x.com.)
- Defenses: Don't leak unnecessary info
  - Don't use HINFO, TXT records at all, limit host names
  - Restrict zone transfers! Limit to only some local machines and/or secondary DNS servers that need it (allow-transfer directive in BIND)
  - Configure firewall to block TCP 53 except to these hosts (UDP used for lookups, TCP for zone transfers)
  - Transaction Signatures (TSIG security) for trusted hosts
  - Split DNS to discriminate between internal and external hosts
    - External nodes only need to be able to resolve a subset of names



# Intrusive Scans and Probes

---

## Insecure Modems

- Past: War Dialers (ToneLoc, THC-Scan), Demon Dialers, Rogue RAS
- Today: War Driving - Rogue and insecure Wireless Access Points [detect RF signal 2Km away using high-gain antennas, NetStumbler, Wellenreiter, kismet, ESSID-Jack tools]
  - Scan of Internet Uncovers Thousands of Vulnerable Embedded Devices
  - <https://www.infosecisland.com/articleview/1567-Scan-of-Internet-Uncovers-Thousands-of-Vulnerable-Embedded-Devices.html>
- Defenses: Conduct periodic sweeps/checks, create policies, crypto WPA2/802.1x, VPN, explicitly prohibiting behavior (WEP, TKIP are broken)
- Determine if a Networked Host is Alive
  - ICMP (Ping, Echo Request/Reply) Sweeps
  - TCP/UDP Packet Sweeps ("TCP Ping")
  - Defenses: Configure firewalls, border routers to limit ICMP, UDP traffic to specific systems. Monitor with IDS
  - Problems with these proposed defenses?





# Intrusive Scans & Probes

---

- Rudimentary Network Mapping
  - Use traceroute to determine an access path diagram
    - Different packets may take different routes through different interfaces with different ACLs
    - UDP (UNIX) vs. ICMP Time Exceeded (Windows)
  - Cheops, VisualRoute, NeoTrace provide neat graphic representations for mapping
  - Defenses:
    - Limit ping (e.g., webserver but not mailserver or hosts?), filter ICMP TTL exceeded, etc.
- Other Recon Tools
  - Sam Spade-ish recon suites
    - Assemble many of these tools in one place
    - <http://samspade.org/>
  - Research Attack Websites



# Intrusive Scans & Probes

---

- Port Scanning using Nmap
  - TCP Connect, TCP SYN Scans
  - TCP FIN, Xmas Tree, Null Scans (Protocol Violations)
  - TCP ACK, UDP Scanning
  - Some sneakier than others
    - Ex: TCP SYN doesn't complete handshake so connect isn't logged by many apps (if open we get SYN-ACK response, if closed we get a RESET or ICMP unreachable or no response)
    - Ex: ACK scan can trick some packet filters. If we get a RESET, packet got through filtering device == "unfiltered". If no response or ICMP unreachable, port is possibly "filtered"
    - Set source port so it looks more "normal" e.g. TCP port 20
    - Use decoys to confuse, idle scanning, Timing Options, Basic Fragmentation



# Intrusive Scans & Probes

---

- Nmap (continued)

- Combinations of these scans allow NMAP to also perform Active OS Fingerprinting/Identification
  - Based on a database of OS characteristics
  - Also measures ISN predictability (IP spoof attacks)
- Defenses: tweak logging and monitoring
  - Firewalls/routers should log things like this (e.g. SYN scans) and IDS should note patterns of behavior
  - Use of stateful firewalls for packet filtering?
  - Scan your own systems before attackers do
  - Close ports and remove unnecessary applications: `netstat -naob`

- All-Purpose Vulnerability Scanners

- Automate the process of connecting and checking for current vulnerabilities. Ex: Nessus (!), SAINT, SATAN



# Network Architecture Attacks

---

## ■ Sniffing

- Still lots of unencrypted protocols in common use
  - E.g., predator drones: <http://online.wsj.com/article/SB126102247889095011.html>
- Sniffers like TcpDump, ethereal, wireshark, cain & abel
- Defenses: Use encrypted protocol replacements
  - E.g. IPSEC, SSH, HTTPS, SFTP, PGP for mail, etc
- More targeted Sniffers like Dsniff understand specific protocols and can pick out certain types of traffic
  - Passwords in FTP, Telnet sessions, etc

## ■ Sniffing on Switched Networks


- MAC Flooding results in some switches forwarding packets to all links after its memory is exhausted
- Spoof ARPs from legitimate hosts to receive their packets, construct a Man-In-The-Middle scenario
- Dsniff with arpspoof, dnsspoof, webmitm, sshmitm
- Ettercap: port stealing



# Network Architecture Attacks

---

- Sniffing on Switched Networks (cont'd)
  - Defenses: no hubs, static ARP tables where necessary (difficult to manage), arp poisoning detection, e.g., DMZs, ArpON, DHCP snooping
- DNS Spoofing
  - Multiple purposes: blackholing and set-up for mitm attacks or site redirects to attacker replica
- Do SSH/HTTPS Prevent these attacks?
  - Not necessarily; built on trust relationships
    - Users must be careful to use only HTTPS sites with valid certificates
    - Must watch out for SSH warning messages if keys don't match previously recorded keys
  - These problems allow for man-in-the-middle scenarios



# Network Architecture Attacks

---

- IP Address Spoofing
  - Simple spoofing: just change the packet's IP address
  - More dangerous: undermining UNIX r-commands (rsh, rhosts), exploiting trust relationships
    - Must be able to predict sequence numbers since attacker never sees SYN-ACK (different LANs)
    - DoS the legitimate host so it can't send RESET
  - Defenses: Make sure sequence numbers are not predictable (vendor patches, etc), avoid using r-commands, don't use IP addresses for "authentication"
  - Also: ingress/egress filtering, deny source-routed packets



# R2L, U2R Attacks

Remote Attacks: Mostly Buffer Overflows in OS, applications

- Processor and OS-specific
- Overflow stack, inject shell code to do something nefarious (try wininet.dll under Windows)
  - Also heap, array, integer overflows, etc.
- R2L = remote to local;
  - Exploit flaw on remote listening application to obtain local user privileges
- U2R = user to root;
  - Exploit flaw on system (ex: setuid) for privilege escalation
- Often, backdoors created via Netcat, TFTP, Inetd
- In-depth discussion out of scope for this presentation, unfortunately but do the labs!



# Web-based Attacks

Web-based flaws important to be wary of too

- Ex: IIS unicode flaws allow attacker to escape web root directory and run a command as IUSR to upload a copy of netcat and send back a shell... (vendor R2L)
- Account harvesting (different messages for incorrect username/password), session tracking (tools: Achilles, Paros),
- SQL Injection
  - Inject unexpected mishandled data into web apps, expanded inside the query for surprising results
  - Example: Poorly constructed SQL queries allow attacker to “piggyback” a query modifier in a POST, I.e. listmyinfo.asp?ID=0;delete from users
- Cross-Site Scripting (XSS)
  - Insert scripted data into web apps, which process and return content containing the scripting (send cookies to a malicious third party, etc.)  
<http://www.ict-forward.eu/media/workshop/presentations/business-of-cybercrime-granel.pdf>





# R2L/U2R and Web App Vulnerabilities

---

- Defenses: Be aware of standard solutions to these problems, rely on “what has come before”
- Defenses: Patch, patch, patch, patch, and detect too
  - Practice responsible coding for security awareness
    - Beware strcpy!
- Defenses: Practice responsible (“safe”) coding for security awareness
  - Buffer Overflows: (Example) beware strcpy, monitor mailing lists (e.g., bugtraq) nonexecutable stack (Solaris, HP-UX 11i, XP-SP2, Win2003 etc.).
  - Web Applications: (Example) Don’t rely on hidden fields for data security, construct queries carefully escaping quotes, etc
- Where do attackers go from here?
  - Use this information to get to “the next step”
  - Once rooted, installation of root kits, log cleaners, etc.



# Password Cracking

---

- Guessing Passwords via Login Scripting
- Better: Obtain Windows SAM or UNIX /etc/password (/etc/shadow, /etc/secure)
  - Crackers: L0phtCrack (Win), John the Ripper (UNIX), Cain
- Dictionary vs Brute-Force vs Hybrid methods
- Defenses:
  - Strong password policy, password-filtering sw
  - Conduct your own audits
  - Use authentication tools instead if possible
  - Protect encrypted files (shadowing, get rid of MS LM reps, etc.)



# Denial of Service

---

- Remotely stopping service

- land (uses same ip src and dst), jolt2 (ip fragment badly structured offset), teardrop (overlapping fragments), etc.
- Mostly older exploits, prey on flaws in TCP stack
- Defenses: patch everything, keep up to date

- Remotely exhausting resources

- Synflood: send lots of SYNs
- Smurf: directed broadcast attack
- Defenses:
  - adequate bandwidth, redundant paths, failover strategies
  - Increase size of connection queue if necessary
  - Traffic shaping can help
  - Ingress/Egress filtering at firewall, border routers
  - SYN cookies eliminate connection queue



# Denial of Service

---

- The new(er) threat: DDoS
  - Takes advantage of distributed nature of the 'Net, use amplifiers and bouncers
  - Zombies live on numerous hosts, remotely controlled
    - Examples: TFN2k, Trin00, Stacheldraht
  - Newer threats feature encrypted client-server communication (sometimes stealthy via ICMP, etc.), decoy capabilities, built-in updaters, and a variety of attack types
    - Harder and harder to trace sources
  - Defenses: Consider all previous advice. Also, do your part to keep zombies off systems
    - Detect and remove
  - Best defense is rapid detection; work with your ISP to help eliminate flood with upstream filters



# Denial of Service

---

- DoS (all forms) sometimes used as diversions to hide “real” attacks
  - Flooding behavior can help to conceal something much more devious
  - Be alert!



# All-Purpose Defenses 1

---


- Stay up to date with OS service patches and security-list mailings [most important!]
- Follow principle of least privilege with user accounts
- Harden your systems
  - Close all unused ports, don't run services you don't need
  - Do you really need a C compiler on your webserver?
- Find your vulnerabilities before attackers do and check regularly
  - Probing Tools, Vulnerability Scanners, etc.
- Centrally log all relevant information and monitor as appropriate
  - Network monitoring packages, Intrusion Detection including file integrity checks for system executables
  - E.g. snort, AIDE, tripwire



# All-Purpose Defenses 2

---

- Use of Encryption where possible for communication
  - Non-snakeoil certificates for production systems
- Good Solid Policies, Recovery Plans
  - Scripted post-mortems important so no on-the-spot-decisions
- Of course... Regular Backups of crucial data!
  - Be able to recover critical systems with little notice, think about data mirroring and redundancy




# Defenses: Firewalls 1

---

- Stateful Packet Filters
  - Remember earlier packets
  - Allow new packets originating from outside in only if they are associated with earlier packets
- Proxy-Based Firewalls
  - Operates at the application level, so it “knows when a session is present”
  - “Safer” but operate differently; lower performance and you may need features of packet filter





# Defenses: Firewalls 2

---

- Audit your Firewall with Firewalk
  - Determine which packets are allowed through a firewall or router
  - Utilizes TTL field of IP header, given two IP addresses
  - Response from "one hop beyond" indicates port is open
  - Use this information to harden your firewall, configure it for a minimal set of rules!
  - Is it worth filtering ICMP time exceeded messages? Would cripple attacker's use of Firewalk but may present administrative problems



# Defenses: Intrusion Detection

---

- Deploy an IDS to “watch” for suspicious traffic on your network
  - Equivalent of a network watchguard, “heads up”
  - Must keep it up to date
  - NIDS vs. HIDS
- Problems: Information Correlation
  - How to correlate to provide “scenario views”?
  - Must carefully tune to find relevant information, limit false positives and wasted time



# Defenses: Intrusion Detection 2

---

- Problems: IDS Evasion
  - Attackers mess with the appearance of traffic so it doesn't match a signature
    - Fragmentation
      - Some can't handle it at all, others can quickly become exhausted with a flood of fragments -- fail open or closed?
      - Tiny Fragment Attack (IDS looks for port number to make filtering decisions, first packet is so small it doesn't have it)
      - Fragment Overlap Attack (second fragment overlaps and writes over "okay" port number with "sneaky" one)
      - FragRouter Tool
    - Minor modifications to popular attacks (ex: overflow strings)
      - Whisker and Nikto CGI scanner tools provides: URL encoding (unicode), directory insertion, fake parameter, session splicing, many more at application level (ex: HTTP)



# More on...

---

- Session Hijacking Mechanisms
- Netcat usage, other common tools
  - ngrep, LSOFF, Log Analyzers, Monitoring Tools
- Much more in the way of R2L, U2R methods and defenses
  - Buffer Overflows, Privilege Escalation
- Wireless Security
- Backdoors/Rootkits/Trojans
  - Vulnerability Maintenance, log cleaners



# Some Tools

---

- John The Ripper, L0phtCrack (LC4/5), Cain & Abel
- Ethereal, Wireshark, tcpdump, snoop
- Ettercap, hunt, arpwat
- IPFW, IPTables, IPF, firewalk, nmap, etc.
- Dsniff
- FragRouter
- Snort, ACID,
- AIDE, Tripwire
- Nessus, Whisker
- Netcat, Nagios



# Web Links

---

- [www.securityfocus.com](http://www.securityfocus.com) (inc. BugTraq)
- [cve.mitre.org](http://cve.mitre.org)
- [icat.nist.gov](http://icat.nist.gov)
- [www.cert.org](http://www.cert.org)
- [www.packetstormsecurity.org](http://www.packetstormsecurity.org)
- [www.packetfactory.net](http://www.packetfactory.net)
- [www.phrack.org](http://www.phrack.org)
- [www.honeynet.org](http://www.honeynet.org)
- [http://www.owasp.org/index.php/Main\\_Page](http://www.owasp.org/index.php/Main_Page)