

Problem Set 6 (due Tuesday, November 21)

1. (12 points) Network flows and atmospheric science experiments

Chapter 7, Exercise 20, page 426.

2. ($4 \times 4 = 16$ points) Average-case analysis of insertion sort

Insertion sort is a simple iterative sorting algorithm, the pseudocode for which is given below.

INSERTIONSORT(A)

1. **for** $j \leftarrow 2$ to n
2. $\text{key} = A[j]$
3. $i \leftarrow j - 1$
4. **while** $i > 0$ and $A[i] > \text{key}$
5. $A[i + 1] \leftarrow A[i]$
6. $i \leftarrow i - 1$
7. $A[i + 1] \leftarrow \text{key}$

- (a) Prove that the worst-case running time for insertion sort is $\Theta(n^2)$.

While the worst-case running time of both insertion sort and quicksort is $\Theta(n^2)$, quicksort is considered an efficient sorting algorithm because the randomized version of quicksort has an expected running time of $\Theta(n \lg n)$ (as we have seen in class). We now consider how insertion sort performs on average.

Let $A[1..n]$ be an array of distinct numbers. If $i < j$ and $A[i] > A[j]$, then we say that the pair (i, j) is an *inversion* of A .

- (b) When does an array have the minimum number of inversions? What is this minimum number? When does an array have the maximum number of inversions? What is this maximum number?
- (c) If $T(A)$ is the running time of insertion sort on input A and $I(A)$ is the number of inversions in A , then prove that $T(A)$ is $\Theta(I(A) + n)$.
- (d) Show that if A is a random permutation chosen uniformly at random from the set of all $n!$ permutations, then the expected number of inversions is $\Theta(n^2)$. Now invoking part (c), derive a tight bound on the expected running time of insertion sort on a random permutation.

3. (12 points) Random generation of peer-to-peer networks

Chapter 13, Exercise 4, page 784.

4. (12 points) One-pass auctions

Chapter 13, Exercise 9, page 788.

5. (8 points) Co-op experience

Describe the project that you were involved with during your most recent co-op assignment. Did you encounter an algorithmic problem during this assignment, directly or indirectly? If so, try to formulate it as a formal algorithms problem. (A negative answer is perfectly acceptable.)

Your answer must be typed and be 1-2 pages long, using reasonable margins and line-spacing. Please turn in the answer as a separate sheet.

Bonus Problem. (6 points) A fast network flow algorithm

Chapter 7, Exercise 11, page 420.